GOVERNMENT OF ANDHRA PRADESH
ABSTRACT

Public Servants – Water Resources Department - Allegations of possession of Assets Disproportionate to the known sources of his income against Sri Srivatsavaya Venkata Padmanabha Raju, Assistant Engineer, Quality Control Sub-Division, Irrigation& CAD Department, Kakinada, East Godavari District, now retired – Disciplinary Proceedings initiated under Rule 20 of A.P.C.S (CC&A) Rules, 1991 - Appointment of Sri N.V.Ramana, Research Officer, Water Quality Labs, Dowlaiswaram, as Inquiry Authority – Orders – Issued.

WATER RESOURCES (VIGILANCE-I/A2) DEPARTMENT

G.O.RT.No. 362 **Dated: 17-07-2019**

Read the following:-

1. G.O.Rt.No.21, Water Resources (Vig-I) Dept., dated 11.01.2018.
2. Letter No.Rc/ENC/SI(2)/13071586/2013, dated 04.04.2018, along with dated acknowledgment received from the Engineer-in-Chief (AW), Water Resources Department, Vijayawada.

<< >>

ORDER:

Whereas, an enquiry under Rule 20 of the Andhra Pradesh Civil Services (Classification, Control and Appeal) Rules, 1991 is being held against Srivatsavaya Venkata Padmanabha Raju, Assistant Engineer, Quality Control Sub-Division, Irrigation & CAD Department, Kakinada, East Godavari District, now retired.

2. And whereas, it is considered that an Inquiring Authority should be appointed to inquire into the charges framed against Srivatsavaya Venkata Padmanabha Raju, Assistant Engineer, Quality Control Sub-Division, I&CAD Department, Kakinada, East Godavari District, now retired.

3. Now, therefore, in exercise of the powers conferred by Sub-rule (2) of Rule 20 of the said rules, the disciplinary Authority hereby appoints, Sri N.V.Ramana, Research Officer, Water Quality Labs, Dowlaiswaram, as an Inquiring Authority to inquire into the charges framed against Sri Srivatsavaya Venkata Padmanabha Raju, Assistant Engineer, Quality Control Sub-Division, I&CAD Dept., Kakinada, East Godavari District, now retired.

4. Article of Charges and Dated acknowledgment submitted by the Engineer-in-Chief (AW), Water Resources Department, Vijayawada are forwarded herewith to the Inquiry Officer. The Presenting Officer will produce other original documents relating to the case before the Inquiry Officer. The Inquiry Officer is requested to complete the enquiry and submit report within the prescribed time and the prescribed proforma as per the orders issued in G.O.Ms.No.679, General Administration (Ser-C) Department, dated 01.11.2008 and Circular Memo.No.56183/Ser.C/99, General Administration (Ser-C) Department, dated 15.10.1999.

ADITYA NATH DAS
SPECIAL CHIEF SECRETARY TO GOVERNMENT

To

Sri N.V.Ramana, Research Officer, Water Quality Labs, Dowlaiswaram, as an Inquiring Authority (**through** the Engineer-in-Chief (AW), Water Resources Department, Vijayawada)

(p.t.o)

Sri Srivatsavaya Venkta Padmanabha Raju, Asst., Engineer, Quality Control Sub-Division, I&CAD Dept., Kakinada, East Godavari District, now retired (**through** the Engineer-in-Chief (AW), Water Resources Department, Vijayawada)

Copy to:-

The Director General, Anti Corruption Bureau, Headquarters Office, 2nd Floor, N.T.R.Admn., Block, Pandit Nehru Bus Station, Vijayawada.

The Secretary to VC, APVC, A.P., Secretariat, Velagapudi, Amaravati.

The Engineer-in-Chief (AW), Water Resources Department, D.No:48-10-9/1, N.H.Feeder Road, Currency Nagar, Vijayawada (for information with a request to submit the dated acknowledgement of the Charged Officer to Government without any delay)

SF/SC.

//FORWARDED:: BY ORDER//

SECTION OFFICER